

## Literature

- +Arup, U. 1992. Caloplaca marina and C. rosei, two difficult species in North America. The Bryologist 95(2): 148-160.
- +Arup, U. 1992. Caloplaca stantonii sp. nov. and its relationship to Caloplaca bolacina nad other lobate to squamulose species in North America. The Bryologist 95(4): 449-457
- +Arup, U. 1993. Caloplaca flavogranulosea sp. nov. and C. citrina, two sorediate species on seashore rocks in western North America. The Bryologist 96(4): 598-603.
- Hansen, E. S., J. Poelt and U. Sochting. 1987. Die Flechtengattung Caloplaca in Grönland. Meddr. Groenland Biosci. 25: 1-52.
- Hertel, H. 19 . Herzogia 3: 365. Magnusson, A. H. 1952. Acti Horti Gothob. 19: 37-38.
- Nordin, I. 1972. Caloplaca sekt. Gasparrinia i Nordeuropa. Taxonomiska och ekologiska studier. Uppsala.
- Poelt, J. and J. Hafellner. 1980. Apatoplaca-Genus novum Teloschistacearum (Lichenes). Mitt. Bot. Staatss. München 16: 503-528.
- Poelt, J. and U. Pelleter. 1984. Zwergstrauchige Arten der Flechtengattung Caloplaca. Pl. Syst. Evol. 148: 51-88.
- +Sochting, U. 1989. Lignicolous species of the lichen genus Caloplaca from Svalbard. Opera Botanica 100: 241-257.
- Sochting, U. and T. Tonsberg. 1997. Caloplaca xanthostigmoidea (Ras.) Zahlbr., a common lichen in cool regions of the Northern Hemisphere. Symb. Bot. Ups. 32(1): 247-253.
- Wetmore, C. M. 1994. The lichen genus Caloplaca in North and Central America with brown or black apothecia. Mycologia 86: 813-838.
- Wetmore, C. M. 1996. The Caloplaca sideritis group in North and Central America. The Bryologist 99: 292-314.
- Wetmore, C. M. and I. Karnefelt. 1998. The lobate and subfruticose species of Caloplaca in North and Central America. The Bryologist 101: 230-255.
- Wetmore, C. M. 1999. Four species of Caloplaca from Mexico. The Bryologist 102: 99-103.
- Wunder, H. 1974. Schwarzfrüchtige, saxicole Sippen der Gattung Caloplaca (Lichenes, Teloschistaceae) in Mitteleuropa, dem Mittelmeergebiet und Vorderasien. Bibl. Lich. 3: 1-186.. grimmiae