

LITERATURE

Rev. Nov. 1993

* = used in the present edition of this key

Asahina, Y. 1956. Lichens of Japan. III. Genus Usnea. Research Institute for Natural Resources, Shinjuku, Tokyo.

*Awasthi, G. 1986. The lichen genus Usnea in India. J. Hattori Bot. Lab. 61: ____.

*Clerc, P. 1984. Contribution a la révision de la systématique des Usnées (Ascomycotina, Usnea) d'Europe. I. Usnea florida (L.) Wigg. emend. Clerc. Cryptogamie, Bryol. Lichénol. 5: 333-360.

*Clerc, P. 1984. Usnea wirthii -- A new species of lichen from Europe and North Africa. Saussurea 15: 33-36.

*Clerc, P. 1987. Systematics of the Usnea fragile aggregate and its distribution in Scandinavia. Nord. J. Bot. 7: 479-495.

Clerc, P. 1987. On the morphology of soralia in the genus Usnea. IN: Progress and Problems in Lichenology in the Eighties. E. Peveling (ed.). Bibliotheca Lichenologica 25: 99-102.

*Clerc, P. 1991. Usnea madeirensis Mot. (ascomycète lichénisé): une espèce méconnue de l'Europe et de l'Amérique du Nord. Candollea 46: 427-438.

*Clerc, P. and P. Diedrich. 1991. Usnea wirthii Clerc new to North America and the British Isles. Lichenologist 23: 405-407.

Dey, J. P. 1978. Fruticose and foliose lichens of the high-mountain areas of the southern Appalachians. The Bryologist 81(1): 1-93.

Fiscus, S. A. 1971. The chemistry of the Usnea florida group in North America. Masters thesis, Duke University.

*Hale, M. E. Jr. 1962. The chemical strains of Usnea strigosa. The Bryologist 65: 291-294.

*Hale, M. E. Jr. 1979. How to Know the Lichens. Wm. C. Brown Co., Dubuque, Iowa.

Halonen, P., P. Clerc, T. Goward, I. M. Brodo and K. Wulff. 1998. Synopsis of the genus Usnea (Lichenized Ascomycetes) in British Columbia, Canada. The Bryologist 101: 36-60.

*Harris, R. C. 1990. Some Florida Lichens. Published by the author.

Herre, A. W. C. T. 1963. The lichen genus Usnea and its species at present known from the

Philippines. Philippine J. Sci., Ser. C, 92: 41-76.

*Herre, A. W. C. T. 19 . (unpubl), (revised by Thomson). Usneas of US & Canada.

Herrera-Campos, M. A., P. Clerc, and T. H. Nash III. 1998. Pendulous species of Usnea from the temperate forests in Mexico. The Bryologist 101: 303-329.

Howe, R. H., Jr. 1915. A monograph of the Usneaceae of the United States and Canada. Part II. Mem. Thoreau Muse. nat. Hist. Middlesex School, Concord, Mass 1: 1-34.

*Imshaug, H. 1954. A new species of Neuropogon from the United States. Rhodora 56: 153-156.

*James, P. W., P. Clerc and O. W. Purvis. 1992. Usnea. Pages 620-629 in: Purvis, O. W., B. J. Coppins, D. L. Hawksworth, P. W. James and D. M. Moore (eds.), The Lichen Flora of Great Britain and Ireland. Natural History Museum Publications, London.

*Klingstedt, F. W. 1965. Über Farbenreaktionen von Flechten der Gattung Usnea. Acta Botanica Fennica 68: 3-23.

*Motyka, J. 1936-38. Lichenum Generis Usnea, Studium Monographicum, Pars Systematica. Leopoli.

Motyka, J. 1947. Lichenum Generis Usnea, Studium Monographicum, Pars Generalis. Lublin.

Posner, B. 1990. Untersuchungen zur Sekundärstoffverteilung im Flechtenthallus dargestellt an den Gattungen Lasallia, Lobaria and Usnea. Inauguraldissertation des Fachbereichs 9 Bio- und Geowissenschaften der Universität Essen GHS. Essen.

*Swinscow, T. D. V. and H. Krog. 1974. Usnea subgenus Eumitra in East Africa. Norw. J. Bot. 21: 165-185.

Tallis, J. H. 1959. The British species of the genus Usnea. Lichenologist 1: 49-83.

*Tavares, I. I. 1987. The taxa of Usnea (Lichenes) described by Michaux from eastern North America. Mycotaxon 30: 39-68.

Thomson, J. W. (with help from Herre). 1959 (unpubl.), Usneas from Central Canada and the Lake States.

Watson, W. 1951. The species of Usnea in Great Britain and Ireland. Trans. Brit. Mycol. Soc. 34: 368-375.

